ELSEVIER

Volumes 157–158, 20 December 2004

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Preface 1
L.A. Dobrański

Stand offs indirect estimation in GMAW 3
S.C. Absi Alfaro, G.C. Carvalho, S.A. de Melo Júnior

Integration concept of CAM system and tool diagnostic system in optimisation of machining processes 8
Z. Adamczyk

Some insights into the remote strain versus fatigue life relationship 16
H. Alush, Y. Katz, M.B. Maros, L. Tóth

FLD theoretical model using a new anisotropic yield criterion 23
D. Banabic, S. Comsa, P. Jurco, G. Cosovici, L. Paraianu, D. Julean

Prediction of surface roughness with genetic programming 28
M. Brezocnik, M. Kovacic, M. Ficko

Hypergraphs and their subgraphs in modelling and investigation of robots. 37
A. Buchacz

Modifications of cascade structures in computer aided design of mechanical continuous vibration bar systems represented by graphs and structural numbers 45
A. Buchacz

Computer simulation of induction hardening 55
F. Cajner, B. Smoljan, D. Landek

About a CAT model consistent with ISO/TC 213 last issues 61
P. Chiabert, M. Orlando

Simulation of the hydroforming process using a new orthotropic yield criterion 67
S. Comsa, G. Cosovici, P. Jurco, L. Paraianu, D. Banabic

Databases for technological information systems 75
F. Cus, B. Mursec

A hybrid analytical-neural network approach to the determination of optimal cutting conditions 82
U. Zuperl, F. Cus, B. Mursec, T. Ploj

The requirements and possibilities balance method used for production planning in the manufacturing assembly systems 91
A. Dobrzańska, B. Skołud

Computer aided method for evaluation of failure class of materials working in creep conditions 102
L.A. Dobrzański, W. Sitek, M. Krupiński, J. Dobrzański

Application of neural networks to forecasting the CCT diagrams 107
L.A. Dobrzański, J. Trzaska

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**

Elsevier B.V.

Relational database as a cogitative part of an intelligent manufacturing system 114
I. Drstvensek, M. Ficko, J. Balic

A model of data flow in lower CIM levels. 123
I. Drstvensek, I. Pahole, J. Balic

Modelling of shape anvils in free hot forging of long products. 131
H. Dyja, G. Banaszek, S. Mróz, S. Berski

The sensitivity as a criterion of synthesis of discrete vibrating fixed mechanical system 138
A. Dymarek

Computer-aided synthesis of discrete–continuous subsystems of machines with the assumed frequency spectrum represented by graphs. 144
T. Dzitkowski

Designing the layout of single- and multiple-rows flexible manufacturing system by genetic algorithms 150
M. Ficko, M. Brezocnik, J. Balic

The system of automation for controlled cooling of the shapes 159
T. Garstka, R. Dobrakowski, B. Koczurkiewicz, H. Dyja

New method of static softening kinetics determination 165
Z. Gronostajski

Finite element simulation of tip test with an aluminum alloy 171
Y.-T. Im, S.-H. Kang, J.-S. Cheon, J.-H. Lee

Modelling of three-dimensional temperature field inside the mould during continuous casting of steel 177
M. Janik, H. Dyja

Viscosity models in simulation of the filling stage of the injection molding process 183
J. Koszkul, J. Nabialek

Fractal nature of surface topography and physical properties of the coatings obtained using magnetron sputtering 188
W. Kwaśny, L.A. Dobrzański, M. Pawlyta, W. Gulbiński

Autonomous track geometry diagnostics system 194
J. Madejski

An application of neural network for selecting feature parameters in machinery diagnosis. 203
T. Matsuura

Theoretical analysis and optimisation of parameters in extrusion process of explosive cladded bimetallic rods. 208
A.A. Milenin, S. Berski, G. Banaszek, H. Dyja

Brazed joints evaluation and computer modelling of mass transport in multi-component systems in the Au–Ni solder-14-5 PH joints 213
J. Nowacki, M. Danielewski, R. Filipek

Object-oriented system for computer aiding of the machines conceptual design process 221
P. Ociepka, J. Świder

Information in metric space 228
M. Pappalardo

Application of non-probabilistic information 232
M. Pappalardo, A. Pellegrino

Simulation model of multi-shuttle automated storage and retrieval systems 236
I. Potrč, T. Lerher, J. Kramberger, M. Šraml

The modelling of high-speed steels' properties using neural networks. 245
W. Sitek, L.A. Dobrzański, J. Zacłona

Analysis of complex mechanical systems based on the block diagrams and the matrix hybrid graphs method 250
J. Świder, G. Wszołek

Vibration analysis software based on a matrix hybrid graph transformation into a structure of a block diagram method 256
J. Świder, G. Wszołek

Experimental verification of Monte Carlo recrystallization model. 262
T.A. Walasek

Vibration analysis of the excavator model in GRAFSIM program on the basis of a block diagram method 268
G. Wszołek

Deposition and some properties of nanocrystalline, nanocomposite and amorphous carbon-based coatings for tribological applications 274
A. Czyżniewski, W. Precht

Surface modification of polytetrafluoroethylene for adhesive bonding 284
E. David, A. Lazar, A. Armeanu

Synthesis of carbon molecular sieves by benzene pyrolysis over microporous carbon materials 290
E. David, A. Talaie, V. Stanciu, A.C. Nicolae

Internal damage processes in low alloy chromium–molybdenum steels during high-temperature creep service 297
J. Dobrzański

Effect of depositing the hard surface coatings on properties of the selected cemented carbides and tool cermets 304
L.A. Dobrzański, K. Gołombek, J. Kopač, M. Soković

Structure and properties of the Ti+Ti(C,N) coatings obtained in the PVD process on sintered high speed steel 312
L.A. Dobrzański, W. Kwaśny, Z. Brytan, R. Shishkov, B. Tomov

Erosion resistance and tribological properties of coatings deposited by reactive magnetron sputtering method onto the brass substrate 317
L.A. Dobrzański, K. Lukaszkowicz

Fabrication methods and heat treatment conditions effect on tribological properties of high speed steels 324
L.A. Dobrzański, G. Matula, A. Várez, B. Levenfeld, J.M. Torralba

Structure and properties of the multi-component TiAlSiN coatings obtained in the PVD process in the nitride tool ceramics . . . 331
L.A. Dobrzański, D. Pakuła, E. Hajduczek

Properties of the wear resistant coatings deposited on the cemented carbides substrates in the cathodic arc evaporation process 341
K. Gołombek, L.A. Dobrzański, M. Soković

High-temperature chlorine–sulfur corrosion of heat-resisting steels 348
A. Hernas, M. Imosa, B. Formanek, J. Cizner

The influence of Cr on tool wear by machining 354
J. Kopač

The creep tests of polyoxymethylene composites reinforced with the microspheres from fly ashes 360
J. Koszkul, D. Kwiatkowski

Friction and wear properties of titanium and oxidised titanium in dry sliding against hardened C45 steel 364
S. Król, L. Ptacek, Z. Zalisz, M. Hepner

Ti+TiN, Ti+Ti(C_xN_{1-x}), Ti+TiC PVD coatings on the ASP 30 sintered high-speed steel 370
W. Kwaśny, L.A. Dobrzański, S. Bugliosi

Structure, chemical and phase compositions of coatings deposited by reactive magnetron sputtering onto the brass substrate. . . . 380
K. Lukaszkowicz, L.A. Dobrzański, A. Zarychta

Structure and properties of the Si_3N_4 nitride ceramics with hard wear resistant coatings 388
D. Pakuła, L.A. Dobrzański, K. Gołombek, M. Pancielejko, A. Křiž

Structure, chemical and phase composition of hard titanium carbon nitride coatings deposited on HS 6-5-2 steel. 394
M. Pancielejko, W. Precht

Usefulness of passive-carbon layer for implants applied in interventional cardiology 399
Z. Paszenda, J. Tyrlik-Held, Z. Nawrat, J. Żak, K. Wilczek

Tests of thin-walled beams joined by spot welding 405
E. Rusiński, A. Kopczyński, J. Czmochowski

(Cr, Me)N coatings deposited in a vacuum furnace by magnetron sputtering of a ferrochromium alloy. 410
R. Shishkov, I. Dermendjiev, M. Peev, W. Kwaśny, A. Križ

Structure and properties of X150CrMo12 steel after PVDM-R by magnetron deposition of chromium nitride coatings with next heat treatment 415
R. Shishkov, M. Jordanov, W. Kwaśny

Wear of PVD-coated solid carbide end mills in dry high-speed cutting 422
M. Soković, J. Kopač, L.A. Dobrzański, M. Adamiak

Diffusion across PVD coated cermet tool/workpiece interface 427
M. Soković, L. Kosec, L.A. Dobrzański

Effect of chemical composition on corrosion and wear behaviour of the composite Ni–Fe–Al_2O_3 coatings 434
R. Starosta, A. Zielinski

Electrochemical corrosion properties of amorphous $Fe_{78}Si_{13}B_9$ alloy 442
D. Szewieczek, A. Baron

Cavitation erosion of steels processed by CO_2 laser beams of various parameters. 446
M. Szkodo, B.G. Gireń

Influence of tribological conditions on the dry friction mechanism of PVD Zr–C:H hard coatings 451
W. Walkowiak, W. Precht

Influence of the thermo–mechanical treatment parameters on the inhomogeneity of the austenite structure and mechanical properties of the Cr–Mo steel with Nb, Ti, and B microadditions 456
J. Adamczyk, M. Opiela

An anisotropic yield criterion for sheet metals 462
D. Banabic, T. Kuwabara, T. Balan, D.S. Comsa

Study of selected properties of magnesium alloy AZ91 after heat treatment and forming 466
L. Čížek, M. Greger, L. Pawlica, L.A. Dobrzański, T. Tański

Effect of thermal treatment on structure of newly developed 47CrMoWVTiCeZr16-26-8 hot-work tool steel 472
L.A. Dobrzański, J. Mazurkiewicz, E. Hajduczek

A contribution to the understanding of chip formation mechanism in high-speed cutting of hardened steel 485
S. Dolinšek, S. Ekinović, J. Kopač

On the strength and ductility of nanocrystalline materials 491
M. Dollár, A. Dollár

Effect of symmetrical and asymmetrical forging processes on the quality of forged products 496
H. Dyja, G. Banaszek, S. Berski, S. Mróz

The system for sheet metal forming design of complex parts 502
J. Gronostajski, A. Matuszak, A. Niechajowicz, Z. Zimniak

Thixoforming of laminate made from semisolid cast strips 508
T. Haga, P. Kapranos

Air-coupled ultrasonic C-scan technique in impact response testing of carbon fibre and hybrid: glass, carbon and Kevlar/epoxy composites 513
K. Imielińska, M. Castaings, R. Wojtyra, J. Haras, E. Le Clezio, B. Hosten

Microstructural changes taking place during the thermo-mechanical processing and cold working of steel 18Cr18Mn0.5N 523
D. Jandová, J. Řehoř, Z. Nový

The theoretical and experimental analysis of the effect of asymmetrical rolling on the value of unit pressure 531
A. Kawałek

Speciality of HSC in manufacturing of forging dies 536
B. Kecelj, J. Kopač, Z. Kampuš, K. Kuzman

Modern machining of die and mold tools 543
P. Krajnik, J. Kopač

Influence of controlled rolling condition on microstructure and mechanical properties of low carbon micro-alloyed steels 553
P. Korczak

High velocity oxy-fuel spraying 557
J. Koutský

Investigation of fine grains distribution using the sedimentation analysis 561
W.P. Kowalski

Adequacy of matrix experiment in grinding 566
P. Krajnik, J. Kopač

Determination of manufacturing technologies in mould manufacturing 573
K. Kuzman, B. Nardin

Weldability of 17-4 PH stainless steel in centrifugal compressor impeller applications 578
J. Nowacki

Deformability of WC–Co sinters and 17-4 PH steel brazed joints 584
J. Nowacki, M. Kawiak

Thermal analysis of vacancy defects in quenched tin bronze-α 590
W. Ozgowicz

Studies on drawing of the aluminium A5052 alloy in the thixocast condition 596
G.P. Pires, M.H. Robert, R. Arrieux

The influence of technological parameters on the rotary pressing process 604
S. Rusz, H. Dyja

The optimal conditions for production of bimetallic plate St36K+0H13J in asymmetrical hot rolling 609
D. Rydz

Possibilities of improvement of dies casting tools with duplex treatment 613
M. Soković, P. Panjan, R. Kirn

An example of determination of preforming steps in hot die forging. 617
B. Tomov, R. Radev

Influence of flash design upon process parameters of hot die forging 620
B. Tomov, R. Radev, V. Gagov

Influence of the heat treatment on the precipitation of the intermetallic phases in commercial AlMn1FeSi alloy 624
M. Warmuzek, G. Mrówka, J. Sieniawski

Microstructure and tensile behaviour of cold-rolled TRIP-aided steels. 633
A. Wasilkowska, P. Tsipouridis, E.A. Werner, A. Pichler, S. Traint

Swagelining as a method of pipelines rehabilitation 637
G. Wróbel, M. Szymiczek and Ł. Wierzbicki

Effect of the thermomechanical treatment on the structure of titanium alloy Ti6Al4V. 643
M. Žitňanský, L. Čaplovič

Structure and properties of composite materials with polymer matrix reinforced Nd–Fe–B hard magnetic nanostructured particles 650
L.A. Dobrzański, M. Drak

Structure and mechanical properties of HSS HS6-5-2- and HS12-1-5-5-type steel produced by modified powder injection moulding process 658
L.A. Dobrzański, G. Matula, A. Várez, B. Levenfeld, J.M. Torralba

Properties and structure of the toroidal magnetically soft cores made from the amorphous strips, powder, and composite materials 669
L.A. Dobrzański, R. Nowosielski, J. Konieczny, J. Wysłocki, A. Przybył

Study on theoretical bases of receiving composite alloy layers on surface of cast steel castings 679
J. Gawroński, J. Szajnar, P. Wróbel

Structure and mechanical properties of formed tungsten based materials 683
M. Greger, L. Čížek, M. Widomska

Co-continuous silica–aluminum composite. 688
E.N. Gregolin, H. Goldenstein, R.G. Santos

A downward melt drag single roll caster for casting semisolid slurry 695
T. Haga, S. Suzuki

Casting of composite strip using a twin roll caster 701
T. Haga, K. Takahashi

Downward melt drag twin roll caster 706
T. Haga, K. Takahashi

Activated sintering of P/M duplex stainless steel powders 712
J. Kazior, M. Nykiel, T. Pieczonka, T. Marcu Puscas, A. Molinari

The influence of cast method and anodizing parameters on structure and layer thickness of aluminium alloys. 718
J. Konieczny, L.A. Dobrzański, K. Labisz, J. Duszczyk

Evaluation of white metal adhesion (conventional casting and thermal wire arc spraying) by ultrasonic non-destructive method 724
J. Koutský, J. Veselá

Solidification microstructures in the rapidly solidified powder of high alloyed V–Cr tool steel 729
M. Kusy, L. Caplovic, P. Grgac, A. Vyrostkova

Magnetic properties of amorphous and nanocrystalline alloys based on iron 735
P. Kwapuliński, J. Rasek, Z. Stokłosa, G. Haneczok

The structure and magnetoelastic properties of the Fe-based amorphous alloy with Hf addition 743
S. Lesz, R. Szewczyk, D. Szewieczek, A. Bieńkowski

Dilatometric analysis of sintering of iron–boron–cobalt P/M metal matrix composites. 749
J. Nowacki, T. Pieczonka

Magnetic properties of high-energy milled $Fe_{78}Si_{13}B_9$ nanocrystalline powders and powder-based nanocomposites 755
R. Nowosielski, L.A. Dobrzański, P. Gramatyka, S. Griner, J. Konieczny

The columnar crystals shape and castings structure cast in magnetic field 761
J. Szajnar

Structure and magnetic properties of nanocomposites of nanocrystalline powder—polymer type 765
D. Szewieczek, L.A. Dobrzański, B. Ziębowicz

The structure and selected physical properties of the nanocrystalline $Fe_{92.4}Hf_{4.2}B_{3.4}$ alloy 771
D. Szewieczek, S. Lesz

Magnetic properties and structure of nanocomposites of powder $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy—polymer type 776
B. Ziębowicz, D. Szewieczek, L.A. Dobrzański

The preparing of Ti–6Al–4V alloy in laboratory conditions 781
M. Žitňanský and L'. Čaplovič

Author Index 788
Subject Index 790